


BARRACUDA ORDERING

1 Select Frame Size.



Overall Frame Width	Rack Units (in.)	Overall Height	Overall Depth
22.0"	40U (70.00")	75.50"	30.88"
24.0"	45U (78.75")	84.25"	36.13"
	48U (84.00")	89.50"	39.63"
	50U (87.50")	93.00"	

*Overall Dimensions are for frames only and do not include bases, doors, etc.

2 Select 19" EIA Mounting Angle Style. (Height to match frame height)

0.625" Offset

#10-32 Tapped (Front) #10-32 Tapped (Inside) Set of 2	#10-32 Tapped (Front) 0.281 Dia. Clear (Inside) Set of 2	0.281 Dia. Clear (Front) 0.281 Dia. Clear (Inside) Set of 2

L-Shaped

#10-32 Tapped (Front) 0.281 Dia. Clear (Inside) Set of 2	0.375 Square (Front) 0.375 Square (Inside) Set of 2

3 Select Mounting Angle Hardware/Accessories.

Panel Screws #10-32 - Black or Nickel (Set of 50)	#10-32 Clip Nuts for 0.281 Dia. Holes (Set of 50)	#10-32 Cage Nuts for 0.375 Square Holes (Set of 50)	Rack Unit Labels	Multi-Bay Hardware to connect multiple frames

4 Select Base Style. (Bases are optional)

Single Bay

Levelers Only Mount Directly in Frame	3" Riser Base	3" Riser Base with Casters & Levelers*

Single or Multiple Bay

5" High Cabling Stand	H = 12", 18" or 24" Sub-floor Base for Raised Floors

* 3" Riser with Levelers also available (not shown).

5

Select Top Panel Style.

Full Depth			
Solid Full Depth	Vented Full Depth	(2) 6"Fans (230CFM Ea.) 120V, Full Depth	(2) 6"Fans (230CFM Ea.) -48VDC, Full Depth

Shorter Depth - Leaves 12.25" Opening			
Solid Shorter Depth	Vented Shorter Depth	(2) 6"Fans (230CFM Ea.) 120V, Shorter Depth	(2) 6"Fans (230CFM Ea.) -48VDC, Shorter Depth

12.25" D Panels	
Cable Tray	
H-Panel	
Solid	
Vented	

6

Select Door Style(s).

Surface-mount - Full Width - 180 Degree Lift-off Hinges - Front or Rear			
Solid Full Width	Vented Top & Bottom Full Width	Mesh Full Width	Plexiglas with Vents Full Width

Surface-mount - Dual Doors - Rear Only	
Solid Dual Door	Mesh Dual Door

Flush-mount - Full Width - Rear Only	
Solid Full Width	Vented Top & Bottom Full Width

7

Select 2-piece Side Panels.

Solid No Locks	Solid Locking

Select Internal Accessories.

8 Cable Management

10 Grounding & Isolation

9 Power

11 Shelves, Chassis Angles, Filler Panels

Barracuda Quick Ordering Reference

19" EIA Rack-mount (22" Overall Frame Width)

22" Wide Frames



Frame Height - U (Overall)	40U (75.5" Overall)		45U (84.25" Overall)		48U (89.5" Overall)		50U (93.0" Overall)	
	30.88" B-F4030-#	36.13" B-F4036-#	30.88" B-F4530-#	36.13" B-F4536-#	30.88" B-F4830-#	36.13" B-F4836-#	30.88" B-F5030-#	36.13" B-F5036-#
Mounting Angles (sets of 2) - order 2 sets for 4-post mounting								
Offset - #10-32 Tapped w/#10-32 Tapped Return Holes	B-MA40C-TT-2	B-MA40C-TT-2	B-MA45C-TT-2	B-MA45C-TT-2	B-MA48C-TT-2	B-MA48C-TT-2	B-MA50C-TT-2	B-MA50C-TT-2
Offset - #10-32 Tapped w/0.281 Diameter Return Holes	B-MA40C-TC-2	B-MA40C-TC-2	B-MA45C-TC-2	B-MA45C-TC-2	B-MA48C-TC-2	B-MA48C-TC-2	B-MA50C-TC-2	B-MA50C-TC-2
Offset - 0.281 Diameter Holes w/0.281 Diameter Return Holes	B-MA40C-CC-2	B-MA40C-CC-2	B-MA45C-CC-2	B-MA45C-CC-2	B-MA48C-CC-2	B-MA48C-CC-2	B-MA50C-CC-2	B-MA50C-CC-2
L-Shaped - #10-32 Tapped w/0.281 Diameter Return Holes	B-MA40L-TC-2	B-MA40L-TC-2	B-MA45L-TC-2	B-MA45L-TC-2	B-MA48L-TC-2	B-MA48L-TC-2	B-MA50L-TC-2	B-MA50L-TC-2
L-Shaped - 0.375 Square Hole w/0.375 Square Return Holes	B-MA40L-SS-2	B-MA40L-SS-2	B-MA45L-SS-2	B-MA45L-SS-2	B-MA48L-SS-2	B-MA48L-SS-2	B-MA50L-SS-2	B-MA50L-SS-2
Mounting Angle Hardware								
Panel Screws - #10-32 with Nylon Washers - 50 Pack - Black	S1B-1032-50	S1B-1032-50	S1B-1032-50	S1B-1032-50	S1B-1032-50	S1B-1032-50	S1B-1032-50	S1B-1032-50
Panel Screws - #10-32 with Nylon Washers - 50 Pack - Nickel	S1N-1032-50	S1N-1032-50	S1N-1032-50	S1N-1032-50	S1N-1032-50	S1N-1032-50	S1N-1032-50	S1N-1032-50
Clip Nuts - #10-32 - for 0.281 Clearance Holes - 50 Pack - Clear Zinc	HK-3-50	HK-3-50	HK-3-50	HK-3-50	HK-3-50	HK-3-50	HK-3-50	HK-3-50
Cage Nuts - #10-32 - for 0.375 Square Holes - 50 Pack - Clear Zinc	CN12-1032-50	CN12-1032-50	CN12-1032-50	CN12-1032-50	CN12-1032-50	CN12-1032-50	CN12-1032-50	CN12-1032-50
Multi-Bay Hardware Kit	B-MBK	B-MBK	B-MBK	B-MBK	B-MBK	B-MBK	B-MBK	B-MBK
Rack-Unit Labels - Adhesive - covers 1 mounting angle	U-LBL-1	U-LBL-1	U-LBL-1	U-LBL-1	U-LBL-1	U-LBL-1	U-LBL-1	U-LBL-1
Rack-Unit Labels - Magnetic - Removable	MAG-50	MAG-50	MAG-50	MAG-50	MAG-50	MAG-50	MAG-50	MAG-50
Bases								
Levelers Only - with Isolation Pads (set of 4)	LVL-4	LVL-4	LVL-4	LVL-4	LVL-4	LVL-4	LVL-4	LVL-4
Levelers Only - Steel Hex (set of 4)	LVLS-4	LVLS-4	LVLS-4	LVLS-4	LVLS-4	LVLS-4	LVLS-4	LVLS-4
3" High Riser	B-1B30-#	B-1B36-#	B-1B30-#	B-1B36-#	B-1B30-#	B-1B36-#	B-1B30-#	B-1B36-#
3" High Riser w/Levelers	B-1B30L-#	B-1B36L-#	B-1B30L-#	B-1B36L-#	B-1B30L-#	B-1B36L-#	B-1B30L-#	B-1B36L-#
3" High Riser w/Levelers & Casters	B-1B30CL-#	B-1B36CL-#	B-1B30CL-#	B-1B36CL-#	B-1B30CL-#	B-1B36CL-#	B-1B30CL-#	B-1B36CL-#
5" High Cabling Stand - 1 Bay (supports 1 frame)	B-1B30CS-5-#	B-1B36CS-5-#	B-1B30CS-5-#	B-1B36CS-5-#	B-1B30CS-5-#	B-1B36CS-5-#	B-1B30CS-5-#	B-1B36CS-5-#
5" High Cabling Stand - 2 Bay (supports 2 frames)	B-2B30CS-5-#	B-2B36CS-5-#	B-2B30CS-5-#	B-2B36CS-5-#	B-2B30CS-5-#	B-2B36CS-5-#	B-2B30CS-5-#	B-2B36CS-5-#
5" High Cabling Stand - 3 Bay (supports 3 frames)	B-3B30CS-5-#	B-3B36CS-5-#	B-3B30CS-5-#	B-3B36CS-5-#	B-3B30CS-5-#	B-3B36CS-5-#	B-3B30CS-5-#	B-3B36CS-5-#
12" High Sub-floor Base - 1 Bay (supports 1 frame)	B-1B30SF-12-#	B-1B36SF-12-#	B-1B30SF-12-#	B-1B36SF-12-#	B-1B30SF-12-#	B-1B36SF-12-#	B-1B30SF-12-#	B-1B36SF-12-#
12" High Sub-floor Base - 2 Bay (supports 2 frames)	B-2B30SF-12-#	B-2B36SF-12-#	B-2B30SF-12-#	B-2B36SF-12-#	B-2B30SF-12-#	B-2B36SF-12-#	B-2B30SF-12-#	B-2B36SF-12-#
12" High Sub-floor Base - 3 Bay (supports 3 frames)	B-3B30SF-12-#	B-3B36SF-12-#	B-3B30SF-12-#	B-3B36SF-12-#	B-3B30SF-12-#	B-3B36SF-12-#	B-3B30SF-12-#	B-3B36SF-12-#
18" High Sub-floor Base - 1 Bay (supports 1 frame)	B-1B30SF-18-#	B-1B36SF-18-#	B-1B30SF-18-#	B-1B36SF-18-#	B-1B30SF-18-#	B-1B36SF-18-#	B-1B30SF-18-#	B-1B36SF-18-#
18" High Sub-floor Base - 2 Bay (supports 2 frames)	B-2B30SF-18-#	B-2B36SF-18-#	B-2B30SF-18-#	B-2B36SF-18-#	B-2B30SF-18-#	B-2B36SF-18-#	B-2B30SF-18-#	B-2B36SF-18-#
18" High Sub-floor Base - 3 Bay (supports 3 frames)	B-3B30SF-18-#	B-3B36SF-18-#	B-3B30SF-18-#	B-3B36SF-18-#	B-3B30SF-18-#	B-3B36SF-18-#	B-3B30SF-18-#	B-3B36SF-18-#
24" High Sub-floor Base - 1 Bay (supports 1 frame)	B-1B30SF-24-#	B-1B36SF-24-#	B-1B30SF-24-#	B-1B36SF-24-#	B-1B30SF-24-#	B-1B36SF-24-#	B-1B30SF-24-#	B-1B36SF-24-#
24" High Sub-floor Base - 2 Bay (supports 2 frames)	B-2B30SF-24-#	B-2B36SF-24-#	B-2B30SF-24-#	B-2B36SF-24-#	B-2B30SF-24-#	B-2B36SF-24-#	B-2B30SF-24-#	B-2B36SF-24-#
24" High Sub-floor Base - 3 Bay (supports 3 frames)	B-3B30SF-24-#	B-3B36SF-24-#	B-3B30SF-24-#	B-3B36SF-24-#	B-3B30SF-24-#	B-3B36SF-24-#	B-3B30SF-24-#	B-3B36SF-24-#
Top Panels								
Solid - Full Depth	B-T30S-#	B-T36S-#	B-T30S-#	B-T36S-#	B-T30S-#	B-T36S-#	B-T30S-#	B-T36S-#
Vented - Full Depth	B-T30V-#	B-T36V-#	B-T30V-#	B-T36V-#	B-T30V-#	B-T36V-#	B-T30V-#	B-T36V-#
Fan - (2) 6" Dia., 230 CFM ea. (120V) - Full Depth	B-T30F26-1-#	B-T36F26-1-#	B-T30F26-1-#	B-T36F26-1-#	B-T30F26-1-#	B-T36F26-1-#	B-T30F26-1-#	B-T36F26-1-#
Fan - (2) 6" Dia. 230 CFM ea. (-48VDC) - Full Depth	B-T30F26-D-#	B-T36F26-D-#	B-T30F26-D-#	B-T36F26-D-#	B-T30F26-D-#	B-T36F26-D-#	B-T30F26-D-#	B-T36F26-D-#
Solid - Shorter Depth (12.25" Top Opening)	B-T30SS-#	B-T36SS-#	B-T30SS-#	B-T36SS-#	B-T30SS-#	B-T36SS-#	B-T30SS-#	B-T36SS-#
Vented - Shorter Depth (12.25" Top Opening)	B-T30VS-#	B-T36VS-#	B-T30VS-#	B-T36VS-#	B-T30VS-#	B-T36VS-#	B-T30VS-#	B-T36VS-#
Fan - (2) 6" Dia., 230 CFM ea. (120V) - Shorter Depth (12.25" Top Opening)	B-T30F26S-1-#	B-T36F26S-1-#	B-T30F26S-1-#	B-T36F26S-1-#	B-T30F26S-1-#	B-T36F26S-1-#	B-T30F26S-1-#	B-T36F26S-1-#
Fan - (2) 6" Dia. 230CFM ea. (-48VDC) - Shorter Depth (12.25" Top Opening)	B-T30F26S-D-#	B-T36F26S-D-#	B-T30F26S-D-#	B-T36F26S-D-#	B-T30F26S-D-#	B-T36F26S-D-#	B-T30F26S-D-#	B-T36F26S-D-#
Cabling H-Panel - 12.25"D	B-T12H-#	B-T12H-#	B-T12H-#	B-T12H-#	B-T12H-#	B-T12H-#	B-T12H-#	B-T12H-#
Solid Panel - 12.25"D	B-T12S-#	B-T12S-#	B-T12S-#	B-T12S-#	B-T12S-#	B-T12S-#	B-T12S-#	B-T12S-#
Vented Panel - 12.25"D	B-T12V-#	B-T12V-#	B-T12V-#	B-T12V-#	B-T12V-#	B-T12V-#	B-T12V-#	B-T12V-#
Integrated Cable Tray - 12.25"D	B-CT-12-#	B-CT-12-#	B-CT-12-#	B-CT-12-#	B-CT-12-#	B-CT-12-#	B-CT-12-#	B-CT-12-#
Doors								
Solid - Surface-mount - Left Hinged (Front or Rear)	B-DL40S-S-#	B-DL40S-S-#	B-DL45S-S-#	B-DL45S-S-#	B-DL48S-S-#	B-DL48S-S-#	B-DL50S-S-#	B-DL50S-S-#
Vented - Surface-mount - Left Hinged (Front or Rear)	B-DL40V-S-#	B-DL40V-S-#	B-DL45V-S-#	B-DL45V-S-#	B-DL48V-S-#	B-DL48V-S-#	B-DL50V-S-#	B-DL50V-S-#
Mesh - Surface-mount - Left Hinged (Front or Rear)	B-DL40M-S-#	B-DL40M-S-#	B-DL45M-S-#	B-DL45M-S-#	B-DL48M-S-#	B-DL48M-S-#	B-DL50M-S-#	B-DL50M-S-#
Plexiglas w/Vents - Surface-mount - Left Hinged (Front or Rear)	B-DL40PV-S-#	B-DL40PV-S-#	B-DL45PV-S-#	B-DL45PV-S-#	B-DL48PV-S-#	B-DL48PV-S-#	B-DL50PV-S-#	B-DL50PV-S-#
Solid - Dual Surface-mount Doors (Rear mount only)	B-DD40S-S-#	B-DD40S-S-#	B-DD45S-S-#	B-DD45S-S-#	B-DD48S-S-#	B-DD48S-S-#	B-DD50S-S-#	B-DD50S-S-#
Mesh - Dual Surface-mount Doors (Rear mount only)	B-DD40M-S-#	B-DD40M-S-#	B-DD45M-S-#	B-DD45M-S-#	B-DD48M-S-#	B-DD48M-S-#	B-DD50M-S-#	B-DD50M-S-#
Solid - Flush-mount Doors - Left Hinged (Rear mount only)	B-DL40S-F-#	B-DL40S-F-#	B-DL45S-F-#	B-DL45S-F-#	B-DL48S-F-#	B-DL48S-F-#	B-DL50S-F-#	B-DL50S-F-#
Vented - Flush-mount Doors - Left Hinged (Rear mount only)	B-DL40V-F-#	B-DL40V-F-#	B-DL45V-F-#	B-DL45V-F-#	B-DL48V-F-#	B-DL48V-F-#	B-DL50V-F-#	B-DL50V-F-#
Side Panels								
2-piece Solid (Locking) - covers 1 side of frame	B-S4030S-L-#	B-S4036S-L-#	B-S4530S-L-#	B-S4536S-L-#	B-S4830S-L-#	B-S4836S-L-#	B-S5030S-L-#	B-S5036S-L-#
2-piece Solid (Non-locking) - covers 1 side of frame	B-S4030S-N-#	B-S4036S-N-#	B-S4530S-N-#	B-S4536S-N-#	B-S4830S-N-#	B-S4836S-N-#	B-S5030S-N-#	B-S5036S-N-#

Barracuda Quick Ordering Reference
19" EIA Rack-mount (22" Overall Frame Width)

22" Wide Frames



Frame Height - U (Overall)	40U (75.5" Overall)		45U (84.25" Overall)		48U (89.5" Overall)		50U (93.0" Overall)	
	30.88" B-F4030-#	36.13" B-F4036-#	30.88" B-F4530-#	36.13" B-F4536-#	30.88" B-F4830-#	36.13" B-F4836-#	30.88" B-F5030-#	36.13" B-F5036-#
Cable Management								
Vertical Lacing Bar - 1" Wide Steel w/Slots, Black	LBV1S-40-2	LBV1S-40-2	LBV1S-45-2	LBV1S-45-2	LBV1S-48-2	LBV1S-48-2	LBV1S-50-2	LBV1S-50-2
Vertical Lacing Bar - 2" Wide Steel w/Velcro Straps, Black	LBV-40-2	LBV-40-2	LBV-45-2	LBV-45-2	LBV-48-2	LBV-48-2	LBV-50-2	LBV-50-2
Vertical Lacing Bar - 3.5" Wide Steel, Black	LBV3-40-2	LBV3-40-2	LBV3-45-2	LBV3-45-2	LBV3-48-2	LBV3-48-2	LBV3-50-2	LBV3-50-2
Vertical Lacing Ladder - 6" Wide, Black	LLV-40-2	LLV-40-2	LLV-45-2	LLV-45-2	LLV-48-2	LLV-48-2	LLV-50-2	LLV-50-2
Horizontal Cable Trough - Top Exterior Mount	HCT-22-#	HCT-22-#	HCT-22-#	HCT-22-#	HCT-22-#	HCT-22-#	HCT-22-#	HCT-22-#
Horizontal Lacing Bar - Pack of 10, Black	LBT-19-2	LBT-19-2	LBT-19-2	LBT-19-2	LBT-19-2	LBT-19-2	LBT-19-2	LBT-19-2
Horizontal Lacing Rods - Straight - Pack of 10, Black	LR-19-2	LR-19-2	LR-19-2	LR-19-2	LR-19-2	LR-19-2	LR-19-2	LR-19-2
Horizontal Lacing Rods - 2" Offset - Pack of 10, Black	LR2-19-2	LR2-19-2	LR2-19-2	LR2-19-2	LR2-19-2	LR2-19-2	LR2-19-2	LR2-19-2
Horizontal Cable Manager - 1U High, Black	HC1-19-2	HC1-19-2	HC1-19-2	HC1-19-2	HC1-19-2	HC1-19-2	HC1-19-2	HC1-19-2
Horizontal Cable Manager - 2U High, Black	HC2-19-2	HC2-19-2	HC2-19-2	HC2-19-2	HC2-19-2	HC2-19-2	HC2-19-2	HC2-19-2
Velcro Straps - Pack of 10	VT-10	VT-10	VT-10	VT-10	VT-10	VT-10	VT-10	VT-10
Cinch Staps - 24" Length - Pack of 10	VCS-24	VCS-24	VCS-24	VCS-24	VCS-24	VCS-24	VCS-24	VCS-24
Power								
15A Vertical, 72", 120V, No Switch/No Breaker, 12 Receptacles, NEMA 5-15P	PW-7212-15-2-0	PW-7212-15-2-0	PW-7212-15-2-0	PW-7212-15-2-0	PW-7212-15-2-0	PW-7212-15-2-0	PW-7212-15-2-0	PW-7212-15-2-0
15A Vertical, 72", 120V, No Switch/No Breaker, 24 Receptacles, NEMA 5-15P	PW-7224-15-2-0	PW-7224-15-2-0	PW-7224-15-2-0	PW-7224-15-2-0	PW-7224-15-2-0	PW-7224-15-2-0	PW-7224-15-2-0	PW-7224-15-2-0
20A Vertical, 72", 120V, No Switch/No Breaker, 12 Receptacles, NEMA 5-20P	PW-7212-20-2-1	PW-7212-20-2-1	PW-7212-20-2-1	PW-7212-20-2-1	PW-7212-20-2-1	PW-7212-20-2-1	PW-7212-20-2-1	PW-7212-20-2-1
20A Vertical, 72", 120V, No Switch/No Breaker, 12 Receptacles, NEMA L5-20P (Twistlock)	PW-7212-20-2-5	PW-7212-20-2-5	PW-7212-20-2-5	PW-7212-20-2-5	PW-7212-20-2-5	PW-7212-20-2-5	PW-7212-20-2-5	PW-7212-20-2-5
20A Vertical, 72", 120V, No Switch/No Breaker, 12 Receptacles, 3 Wire Leads	PW-7212-20-2-N	PW-7212-20-2-N	PW-7212-20-2-N	PW-7212-20-2-N	PW-7212-20-2-N	PW-7212-20-2-N	PW-7212-20-2-N	PW-7212-20-2-N
20A Vertical, 72", 120V, No Switch/No Breaker, 24 Receptacles, NEMA 5-20P	PW-7224-20-2-1	PW-7224-20-2-1	PW-7224-20-2-1	PW-7224-20-2-1	PW-7224-20-2-1	PW-7224-20-2-1	PW-7224-20-2-1	PW-7224-20-2-1
20A Vertical, 72", 120V, No Switch/No Breaker, 24 Receptacles, NEMA L5-20P (Twistlock)	PW-7224-20-2-5	PW-7224-20-2-5	PW-7224-20-2-5	PW-7224-20-2-5	PW-7224-20-2-5	PW-7224-20-2-5	PW-7224-20-2-5	PW-7224-20-2-5
20A Vertical, 72", 120V, No Switch/No Breaker, 24 Receptacles, 3 Wire Leads	PW-7224-20-2-N	PW-7224-20-2-N	PW-7224-20-2-N	PW-7224-20-2-N	PW-7224-20-2-N	PW-7224-20-2-N	PW-7224-20-2-N	PW-7224-20-2-N
Bus Bars, Ground Straps & Isolation Kits								
Vertical Copper Bus Bar - full height	CBB-40	CBB-40	CBB-45	CBB-45	CBB-48	CBB-48	CBB-50	CBB-50
Vertical Copper Bus Bar - Isolated - full height	CBI-40	CBI-40	CBI-45	CBI-45	CBI-48	CBI-48	CBI-50	CBI-50
Horizontal Copper Bus Bar - 19" Rack-mount	CBBH-19	CBBH-19	CBBH-19	CBBH-19	CBBH-19	CBBH-19	CBBH-19	CBBH-19
Horizontal Copper Bus Bar - Isolated - 19" Rack-mount	CBIH-19	CBIH-19	CBIH-19	CBIH-19	CBIH-19	CBIH-19	CBIH-19	CBIH-19
Ground Strap - 18" #6 Cotton Jacketed with Double Lugs, includes 1/4-20 Hardware	GRD-G-DL-18	GRD-G-DL-18	GRD-G-DL-18	GRD-G-DL-18	GRD-G-DL-18	GRD-G-DL-18	GRD-G-DL-18	GRD-G-DL-18
Isolation Pads - isolates 1 frame from floor	ISO-22	ISO-22	ISO-22	ISO-22	ISO-22	ISO-22	ISO-22	ISO-22
Uni-strut Kit - mounts to top of frame - (1 strut)	B-STK63-30-#	B-STK63-36-#	B-STK63-30-#	B-STK63-36-#	B-STK63-30-#	B-STK63-36-#	B-STK63-30-#	B-STK63-36-#
Cherry Isolators - 5/8" Thread - Set of 4	C-ISO-63	C-ISO-63	C-ISO-63	C-ISO-63	C-ISO-63	C-ISO-63	C-ISO-63	C-ISO-63
Chassis Support Angles (Offset Mounting Angles only)								
18"D - 3" x 1.75" (100 lbs.) - Light Duty, Zinc Plated	CA-LD-18	CA-LD-18	CA-LD-18	CA-LD-18	CA-LD-18	CA-LD-18	CA-LD-18	CA-LD-18
22"D - 3" x 1.75" (100 lbs.) - Light Duty, Zinc Plated	CA-LD-22	CA-LD-22	CA-LD-22	CA-LD-22	CA-LD-22	CA-LD-22	CA-LD-22	CA-LD-22
26"D - 3" x 1.75" (100 lbs.) - Light Duty, Zinc Plated	CA-LD-26	CA-LD-26	CA-LD-26	CA-LD-26	CA-LD-26	CA-LD-26	CA-LD-26	CA-LD-26
18"D - 3" x 1.75" (200 lbs.), Zinc Plated	CA-18	CA-18	CA-18	CA-18	CA-18	CA-18	CA-18	CA-18
22"D - 3" x 1.75" (200 lbs.), Zinc Plated	CA-22	CA-22	CA-22	CA-22	CA-22	CA-22	CA-22	CA-22
26"D - 3" x 1.75" (200 lbs.), Zinc Plated	CA-26	CA-26	CA-26	CA-26	CA-26	CA-26	CA-26	CA-26
Filler Panels								
1U Aluminum - Solid	PA-1-#	PA-1-#	PA-1-#	PA-1-#	PA-1-#	PA-1-#	PA-1-#	PA-1-#
2U Aluminum - Solid	PA-2-#	PA-2-#	PA-2-#	PA-2-#	PA-2-#	PA-2-#	PA-2-#	PA-2-#
3U Aluminum - Solid	PA-3-#	PA-3-#	PA-3-#	PA-3-#	PA-3-#	PA-3-#	PA-3-#	PA-3-#
4U Aluminum - Solid	PA-4-#	PA-4-#	PA-4-#	PA-4-#	PA-4-#	PA-4-#	PA-4-#	PA-4-#
1U Steel with Flanges - Solid	PSF-1-#	PSF-1-#	PSF-1-#	PSF-1-#	PSF-1-#	PSF-1-#	PSF-1-#	PSF-1-#
2U Steel with Flanges - Solid	PSF-2-#	PSF-2-#	PSF-2-#	PSF-2-#	PSF-2-#	PSF-2-#	PSF-2-#	PSF-2-#
3U Steel with Flanges - Solid	PSF-3-#	PSF-3-#	PSF-3-#	PSF-3-#	PSF-3-#	PSF-3-#	PSF-3-#	PSF-3-#
4U Steel with Flanges - Solid	PSF-4-#	PSF-4-#	PSF-4-#	PSF-4-#	PSF-4-#	PSF-4-#	PSF-4-#	PSF-4-#
3U Fan Panel, 120V, (2) 4" Fans @ 110CFM Each, Single 1-15P	PSFF-3-#	PSFF-3-#	PSFF-3-#	PSFF-3-#	PSFF-3-#	PSFF-3-#	PSFF-3-#	PSFF-3-#
Shelves & Drawers								
Cantilevered Shelf - 1U Vented (50 lbs.) - 12"D, Black	CSV1-2	CSV1-2	CSV1-2	CSV1-2	CSV1-2	CSV1-2	CSV1-2	CSV1-2
Cantilevered Shelf - 2U Vented (100 lbs.) - 15"D, Black	CSV2-2	CSV2-2	CSV2-2	CSV2-2	CSV2-2	CSV2-2	CSV2-2	CSV2-2
Cantilevered Shelf - 3U Vented (100 lbs.) - 15"D, Black	CSV3-2	CSV3-2	CSV3-2	CSV3-2	CSV3-2	CSV3-2	CSV3-2	CSV3-2
Fixed Shelf - 24"D Rack-mount (200 lbs.), Black	FS1V-1924-2	FS1V-1924-2	FS1V-1924-2	FS1V-1924-2	FS1V-1924-2	FS1V-1924-2	FS1V-1924-2	FS1V-1924-2
Sliding Shelf - 24"D Rack-mount (100 lbs.), Black	SS2V-1924-2	SS2V-1924-2	SS2V-1924-2	SS2V-1924-2	SS2V-1924-2	SS2V-1924-2	SS2V-1924-2	SS2V-1924-2
Sliding Shelf - 24"D Rack-mount (150 lbs.), Black	SS1V-1924-2	SS1V-1924-2	SS1V-1924-2	SS1V-1924-2	SS1V-1924-2	SS1V-1924-2	SS1V-1924-2	SS1V-1924-2
2U Drawer- 15"D - 4 Post, Non-locking	DR2-1915-#	DR2-1915-#	DR2-1915-#	DR2-1915-#	DR2-1915-#	DR2-1915-#	DR2-1915-#	DR2-1915-#
4U Drawer - 15"D - 4 Post, Non-locking	DR4-1915-#	DR4-1915-#	DR4-1915-#	DR4-1915-#	DR4-1915-#	DR4-1915-#	DR4-1915-#	DR4-1915-#
Writing Surface - Rack-mount - 16.8"W x 18.6"D	WS-19-#	WS-19-#	WS-19-#	WS-19-#	WS-19-#	WS-19-#	WS-19-#	WS-19-#

Barracuda Quick Ordering Reference

19" EIA Rack-mount (24" Overall Frame Width)

24" Wide Frames



Frame Height - U (Overall)	40U (75.5" Overall)		45U (84.25" Overall)		48U (89.5" Overall)		50U (93.0" Overall)	
	36.13"	39.63"	36.13"	39.63"	36.13"	39.63"	36.13"	39.63"
Frame Depth								
Frame Part Number	B-F244036-#	B-F244039-#	B-F244536-#	B-F244539-#	B-F244836-#	B-F244839-#	B-F245036-#	B-F245039-#
Mounting Angles (sets of 2) - order 2 sets for 4-post mounting								
Offset - #10-32 Tapped w/#10-32 Tapped Return Holes	B-MA2440C-TT-2	B-MA2440C-TT-2	B-MA2445C-TT-2	B-MA2445C-TT-2	B-MA2448C-TT-2	B-MA2448C-TT-2	B-MA2450C-TT-2	B-MA2450C-TT-2
Offset - #10-32 Tapped w/0.281 Diameter Return Holes	B-MA2440C-TC-2	B-MA2440C-TC-2	B-MA2445C-TC-2	B-MA2445C-TC-2	B-MA2448C-TC-2	B-MA2448C-TC-2	B-MA2450C-TC-2	B-MA2450C-TC-2
Offset - 0.281 Diameter Holes w/0.281 Diameter Return Holes	B-MA2440C-CC-2	B-MA2440C-CC-2	B-MA2445C-CC-2	B-MA2445C-CC-2	B-MA2448C-CC-2	B-MA2448C-CC-2	B-MA2450C-CC-2	B-MA2450C-CC-2
L-Shaped - #10-32 Tapped w/0.281 Diameter Return Holes	B-MA2440L-TC-2	B-MA2440L-TC-2	B-MA2445L-TC-2	B-MA2445L-TC-2	B-MA2448L-TC-2	B-MA2448L-TC-2	B-MA2450L-TC-2	B-MA2450L-TC-2
L-Shaped - 0.375 Square Hole w/0.375 Square Return Holes	B-MA2440L-SS-2	B-MA2440L-SS-2	B-MA2445L-SS-2	B-MA2445L-SS-2	B-MA2448L-SS-2	B-MA2448L-SS-2	B-MA2450L-SS-2	B-MA2450L-SS-2
Mounting Angle Hardware								
Panel Screws - #10-32 with Nylon Washers - 50 Pack - Black	S1B-1032-50	S1B-1032-50	S1B-1032-50	S1B-1032-50	S1B-1032-50	S1B-1032-50	S1B-1032-50	S1B-1032-50
Panel Screws - #10-32 with Nylon Washers - 50 Pack - Nickel	S1N-1032-50	S1N-1032-50	S1N-1032-50	S1N-1032-50	S1N-1032-50	S1N-1032-50	S1N-1032-50	S1N-1032-50
Clip Nuts - #10-32 - for 0.281 Clearance Holes - 50 Pack - Clear Zinc	HK-3-50	HK-3-50	HK-3-50	HK-3-50	HK-3-50	HK-3-50	HK-3-50	HK-3-50
Cage Nuts - #10-32 - for 0.375 Square Holes - 50 Pack - Clear Zinc	CN12-1032-50	CN12-1032-50	CN12-1032-50	CN12-1032-50	CN12-1032-50	CN12-1032-50	CN12-1032-50	CN12-1032-50
Multi-Bay Hardware Kit	B-MBK	B-MBK	B-MBK	B-MBK	B-MBK	B-MBK	B-MBK	B-MBK
Rack-Unit Labels - Adhesive - covers 1 mounting angle	U-LBL-1	U-LBL-1	U-LBL-1	U-LBL-1	U-LBL-1	U-LBL-1	U-LBL-1	U-LBL-1
Rack-Unit Labels - Magnetic - Removable	MAG-50	MAG-50	MAG-50	MAG-50	MAG-50	MAG-50	MAG-50	MAG-50
Bases								
Levelers Only - with Isolation Pads (set of 4)	LVL-4	LVL-4	LVL-4	LVL-4	LVL-4	LVL-4	LVL-4	LVL-4
Levelers Only - Steel Hex (set of 4)	LVLS-4	LVLS-4	LVLS-4	LVLS-4	LVLS-4	LVLS-4	LVLS-4	LVLS-4
3" High Riser	B-1B2436-#	B-1B2439-#	B-1B2436-#	B-1B2439-#	B-1B2436-#	B-1B2439-#	B-1B2436-#	B-1B2439-#
3" High Riser w/Levelers	B-1B2436L-#	B-1B2439L-#	B-1B2436L-#	B-1B2439L-#	B-1B2436L-#	B-1B2439L-#	B-1B2436L-#	B-1B2439L-#
3" High Riser w/Levelers & Casters	B-1B2436CL-#	B-1B2439CL-#	B-1B2436CL-#	B-1B2439CL-#	B-1B2436CL-#	B-1B2439CL-#	B-1B2436CL-#	B-1B2439CL-#
5" High Cabling Stand - 1 Bay (supports 1 frame)	B-1B2439CS-5-#	B-1B2439CS-5-#	B-1B2439CS-5-#	B-1B2439CS-5-#	B-1B2439CS-5-#	B-1B2439CS-5-#	B-1B2439CS-5-#	B-1B2439CS-5-#
5" High Cabling Stand - 2 Bay (supports 2 frames)	B-2B2436CS-5-#	B-2B2439CS-5-#	B-2B2436CS-5-#	B-2B2439CS-5-#	B-2B2436CS-5-#	B-2B2439CS-5-#	B-2B2436CS-5-#	B-2B2439CS-5-#
5" High Cabling Stand - 3 Bay (supports 3 frames)	B-3B2436CS-5-#	B-3B2439CS-5-#	B-3B2436CS-5-#	B-3B2439CS-5-#	B-3B2436CS-5-#	B-3B2439CS-5-#	B-3B2436CS-5-#	B-3B2439CS-5-#
12" High Sub-floor Base - 1 Bay (supports 1 frame)	B-1B2436SF-12-#	B-1B2439SF-12-#	B-1B2436SF-12-#	B-1B2439SF-12-#	B-1B2436SF-12-#	B-1B2439SF-12-#	B-1B2436SF-12-#	B-1B2439SF-12-#
12" High Sub-floor Base - 2 Bay (supports 2 frames)	B-2B2436SF-12-#	B-2B2439SF-12-#	B-2B2436SF-12-#	B-2B2439SF-12-#	B-2B2436SF-12-#	B-2B2439SF-12-#	B-2B2436SF-12-#	B-2B2439SF-12-#
12" High Sub-floor Base - 3 Bay (supports 3 frames)	B-3B2436SF-12-#	B-3B2439SF-12-#	B-3B2436SF-12-#	B-3B2439SF-12-#	B-3B2436SF-12-#	B-3B2439SF-12-#	B-3B2436SF-12-#	B-3B2439SF-12-#
18" High Sub-floor Base - 1 Bay (supports 1 frame)	B-1B2436SF-18-#	B-1B2439SF-18-#	B-1B2436SF-18-#	B-1B2439SF-18-#	B-1B2436SF-18-#	B-1B2439SF-18-#	B-1B2436SF-18-#	B-1B2439SF-18-#
18" High Sub-floor Base - 2 Bay (supports 2 frames)	B-2B2436SF-18-#	B-2B2439SF-18-#	B-2B2436SF-18-#	B-2B2439SF-18-#	B-2B2436SF-18-#	B-2B2439SF-18-#	B-2B2436SF-18-#	B-2B2439SF-18-#
18" High Sub-floor Base - 3 Bay (supports 3 frames)	B-3B2436SF-18-#	B-3B2439SF-18-#	B-3B2436SF-18-#	B-3B2439SF-18-#	B-3B2436SF-18-#	B-3B2439SF-18-#	B-3B2436SF-18-#	B-3B2439SF-18-#
24" High Sub-floor Base - 1 Bay (supports 1 frame)	B-1B2436SF-24-#	B-1B2439SF-24-#	B-1B2436SF-24-#	B-1B2439SF-24-#	B-1B2436SF-24-#	B-1B2439SF-24-#	B-1B2436SF-24-#	B-1B2439SF-24-#
24" High Sub-floor Base - 2 Bay (supports 2 frames)	B-2B2436SF-24-#	B-2B2439SF-24-#	B-2B2436SF-24-#	B-2B2439SF-24-#	B-2B2436SF-24-#	B-2B2439SF-24-#	B-2B2436SF-24-#	B-2B2439SF-24-#
24" High Sub-floor Base - 3 Bay (supports 3 frames)	B-3B2436SF-24-#	B-3B2439SF-24-#	B-3B2436SF-24-#	B-3B2439SF-24-#	B-3B2436SF-24-#	B-3B2439SF-24-#	B-3B2436SF-24-#	B-3B2439SF-24-#
Top Panels								
Solid - Full Depth	B-T2436S-#	B-T2439S-#	B-T2436S-#	B-T2439S-#	B-T2436S-#	B-T2439S-#	B-T2436S-#	B-T2439S-#
Vented - Full Depth	B-T2436V-#	B-T2439V-#	B-T2436V-#	B-T2439V-#	B-T2436V-#	B-T2439V-#	B-T2436V-#	B-T2439V-#
Fan - (2) 6" Dia., 230 CFM ea. (120V) - Full Depth	B-T2436F26-1-#	B-T2439F26-1-#	B-T2436F26-1-#	B-T2439F26-1-#	B-T2436F26-1-#	B-T2439F26-1-#	B-T2436F26-1-#	B-T2439F26-1-#
Fan - (2) 6" Dia., 230 CFM ea. (-48VDC) - Full Depth	B-T2436F26-D-#	B-T2439F26-D-#	B-T2436F26-D-#	B-T2439F26-D-#	B-T2436F26-D-#	B-T2439F26-D-#	B-T2436F26-D-#	B-T2439F26-D-#
Solid - Shorter Depth (12.25" Top Opening)	B-T2436SS-#	B-T2439SS-#	B-T2436SS-#	B-T2439SS-#	B-T2436SS-#	B-T2439SS-#	B-T2436SS-#	B-T2439SS-#
Vented - Shorter Depth (12.25" Top Opening)	B-T2436VS-#	B-T2439VS-#	B-T2436VS-#	B-T2439VS-#	B-T2436VS-#	B-T2439VS-#	B-T2436VS-#	B-T2439VS-#
Fan - (2) 6" Dia., 230 CFM ea. (120V) - Shorter Depth (12.25" Top Opening)	B-T2436F26S-1-#	B-T2439F26S-1-#	B-T2436F26S-1-#	B-T2439F26S-1-#	B-T2436F26S-1-#	B-T2439F26S-1-#	B-T2436F26S-1-#	B-T2439F26S-1-#
Fan - (2) 6" Dia., 230CFM ea. (-48VDC) - Shorter Depth (12.25" Top Opening)	B-T2436F26S-D-#	B-T2439F26S-D-#	B-T2436F26S-D-#	B-T2439F26S-D-#	B-T2436F26S-D-#	B-T2439F26S-D-#	B-T2436F26S-D-#	B-T2439F26S-D-#
Cabling H-Panel - 12.25"D	B-T2412H-#	B-T2412H-#	B-T2412H-#	B-T2412H-#	B-T2412H-#	B-T2412H-#	B-T2412H-#	B-T2412H-#
Solid Panel - 12.25"D	B-T2412S-#	B-T2412S-#	B-T2412S-#	B-T2412S-#	B-T2412S-#	B-T2412S-#	B-T2412S-#	B-T2412S-#
Vented Panel - 12.25"D	B-T2412V-#	B-T2412V-#	B-T2412V-#	B-T2412V-#	B-T2412V-#	B-T2412V-#	B-T2412V-#	B-T2412V-#
Integrated Cable Tray - 12.25"D	B-CT24-12-#	B-CT24-12-#	B-CT24-12-#	B-CT24-12-#	B-CT24-12-#	B-CT24-12-#	B-CT24-12-#	B-CT24-12-#
Doors								
Solid - Surface-mount - Left Hinged (Front or Rear)	B-DL2440S-S-#	B-DL2440S-S-#	B-DL2445S-S-#	B-DL2445S-S-#	B-DL2448S-S-#	B-DL2448S-S-#	B-DL2450S-S-#	B-DL2450S-S-#
Vented - Surface-mount - Left Hinged (Front or Rear)	B-DL2440V-S-#	B-DL2440V-S-#	B-DL2445V-S-#	B-DL2445V-S-#	B-DL2448V-S-#	B-DL2448V-S-#	B-DL2450V-S-#	B-DL2450V-S-#
Mesh - Surface-mount - Left Hinged (Front or Rear)	B-DL2440M-S-#	B-DL2440M-S-#	B-DL2445M-S-#	B-DL2445M-S-#	B-DL2448M-S-#	B-DL2448M-S-#	B-DL2450M-S-#	B-DL2450M-S-#
Plexiglas w/Vents - Surface-mount - Left Hinged (Front or Rear)	B-DL2440PV-S-#	B-DL2440PV-S-#	B-DL2445PV-S-#	B-DL2445PV-S-#	B-DL2448PV-S-#	B-DL2448PV-S-#	B-DL2450PV-S-#	B-DL2450PV-S-#
Solid - Dual Surface-mount Doors (Rear mount only)	B-DD2440S-S-#	B-DD2440S-S-#	B-DD2445S-S-#	B-DD2445S-S-#	B-DD2448S-S-#	B-DD2448S-S-#	B-DD2450S-S-#	B-DD2450S-S-#
Mesh - Dual Surface-mount Doors (Rear mount only)	B-DD2440M-S-#	B-DD2440M-S-#	B-DD2445M-S-#	B-DD2445M-S-#	B-DD2448M-S-#	B-DD2448M-S-#	B-DD2450M-S-#	B-DD2450M-S-#
Solid - Flush-mount Doors - Left Hinged (Rear mount only) - same as 22"W	B-DL40S-F-#	B-DL40S-F-#	B-DL45S-F-#	B-DL45S-F-#	B-DL48S-F-#	B-DL48S-F-#	B-DL50S-F-#	B-DL50S-F-#
Vented - Flush-mount Doors - Left Hinged (Rear mount only) - same as 22"W	B-DL40V-F-#	B-DL40V-F-#	B-DL45V-F-#	B-DL45V-F-#	B-DL48V-F-#	B-DL48V-F-#	B-DL50V-F-#	B-DL50V-F-#
Side Panels								
2-piece Solid (Locking) - covers 1 side of frame	B-S4036S-L-#	B-S4039S-L-#	B-S4536S-L-#	B-S4539S-L-#	B-S4836S-L-#	B-S4839S-L-#	B-S5036S-L-#	B-S5039S-L-#
2-piece Solid (Non-locking) - covers 1 side of frame	B-S4036S-N-#	B-S4039S-N-#	B-S4536S-N-#	B-S4539S-N-#	B-S4836S-N-#	B-S4839S-N-#	B-S5036S-N-#	B-S5039S-N-#

Barracuda Quick Ordering Reference

19" EIA Rack-mount (24" Overall Frame Width)

24" Wide Frames



Frame Height - U (Overall)	40U (75.5" Overall)		45U (84.25" Overall)		48U (89.5" Overall)		50U (93.0" Overall)	
	36.13" B-F244036-#	39.63" B-F244039-#	36.13" B-F244536-#	39.63" B-F244539-#	36.13" B-F244836-#	39.63" B-F244839-#	36.13" B-F245036-#	39.63" B-F245039-#
Frame Depth								
Frame Part Number								
Cable Management								
Vertical Lacing Bar - 1" Wide Steel w/Slots, Black	LBV1S-40-2	LBV1S-40-2	LBV1S-45-2	LBV1S-45-2	LBV1S-48-2	LBV1S-48-2	LBV1S-50-2	LBV1S-50-2
Vertical Lacing Bar - 2" Wide Steel w/Velcro Straps, Black	LBV-40-2	LBV-40-2	LBV-45-2	LBV-45-2	LBV-48-2	LBV-48-2	LBV-50-2	LBV-50-2
Vertical Lacing Bar - 3.5" Wide Steel, Black	LBV3-40-2	LBV3-40-2	LBV3-45-2	LBV3-45-2	LBV3-48-2	LBV3-48-2	LBV3-50-2	LBV3-50-2
Vertical Lacing Ladder - 6" Wide, Black	LLV-40-2	LLV-40-2	LLV-45-2	LLV-45-2	LLV-48-2	LLV-48-2	LLV-50-2	LLV-50-2
Horizontal Cable Trough - Top Exterior Mount	HCT-24-#	HCT-24-#	HCT-24-#	HCT-24-#	HCT-24-#	HCT-24-#	HCT-24-#	HCT-24-#
Horizontal Lacing Bar - Pack of 10, Black	LBT-19-2	LBT-19-2	LBT-19-2	LBT-19-2	LBT-19-2	LBT-19-2	LBT-19-2	LBT-19-2
Horizontal Lacing Rods - Straight - Pack of 10, Black	LR-19-2	LR-19-2	LR-19-2	LR-19-2	LR-19-2	LR-19-2	LR-19-2	LR-19-2
Horizontal Lacing Rods - 2" Offset - Pack of 10, Black	LR2-19-2	LR2-19-2	LR2-19-2	LR2-19-2	LR2-19-2	LR2-19-2	LR2-19-2	LR2-19-2
Horizontal Cable Manager - 1U High, Black	HC1-19-2	HC1-19-2	HC1-19-2	HC1-19-2	HC1-19-2	HC1-19-2	HC1-19-2	HC1-19-2
Horizontal Cable Manager - 2U High, Black	HC2-19-2	HC2-19-2	HC2-19-2	HC2-19-2	HC2-19-2	HC2-19-2	HC2-19-2	HC2-19-2
Velcro Straps - Pack of 10	VT-10	VT-10	VT-10	VT-10	VT-10	VT-10	VT-10	VT-10
Cinch Staps - 24" Length - Pack of 10	VCS-24	VCS-24	VCS-24	VCS-24	VCS-24	VCS-24	VCS-24	VCS-24
Power								
15A Vertical, 72", 120V, No Switch/No Breaker, 12 Receptacles, NEMA 5-15P	PW-7212-15-2-0	PW-7212-15-2-0	PW-7212-15-2-0	PW-7212-15-2-0	PW-7212-15-2-0	PW-7212-15-2-0	PW-7212-15-2-0	PW-7212-15-2-0
15A Vertical, 72", 120V, No Switch/No Breaker, 24 Receptacles, NEMA 5-15P	PW-7224-15-2-0	PW-7224-15-2-0	PW-7224-15-2-0	PW-7224-15-2-0	PW-7224-15-2-0	PW-7224-15-2-0	PW-7224-15-2-0	PW-7224-15-2-0
20A Vertical, 72", 120V, No Switch/No Breaker, 12 Receptacles, NEMA 5-20P	PW-7212-20-2-1	PW-7212-20-2-1	PW-7212-20-2-1	PW-7212-20-2-1	PW-7212-20-2-1	PW-7212-20-2-1	PW-7212-20-2-1	PW-7212-20-2-1
20A Vertical, 72", 120V, No Switch/No Breaker, 12 Receptacles, NEMA L5-20P (Twistlock)	PW-7212-20-2-5	PW-7212-20-2-5	PW-7212-20-2-5	PW-7212-20-2-5	PW-7212-20-2-5	PW-7212-20-2-5	PW-7212-20-2-5	PW-7212-20-2-5
20A Vertical, 72", 120V, No Switch/No Breaker, 12 Receptacles, 3 Wire Leads	PW-7212-20-2-N	PW-7212-20-2-N	PW-7212-20-2-N	PW-7212-20-2-N	PW-7212-20-2-N	PW-7212-20-2-N	PW-7212-20-2-N	PW-7212-20-2-N
20A Vertical, 72", 120V, No Switch/No Breaker, 24 Receptacles, NEMA 5-20P	PW-7224-20-2-1	PW-7224-20-2-1	PW-7224-20-2-1	PW-7224-20-2-1	PW-7224-20-2-1	PW-7224-20-2-1	PW-7224-20-2-1	PW-7224-20-2-1
20A Vertical, 72", 120V, No Switch/No Breaker, 24 Receptacles, NEMA L5-20P (Twistlock)	PW-7224-20-2-5	PW-7224-20-2-5	PW-7224-20-2-5	PW-7224-20-2-5	PW-7224-20-2-5	PW-7224-20-2-5	PW-7224-20-2-5	PW-7224-20-2-5
20A Vertical, 72", 120V, No Switch/No Breaker, 24 Receptacles, 3 Wire Leads	PW-7224-20-2-N	PW-7224-20-2-N	PW-7224-20-2-N	PW-7224-20-2-N	PW-7224-20-2-N	PW-7224-20-2-N	PW-7224-20-2-N	PW-7224-20-2-N
Bus Bars, Ground Straps & Isolation Kits								
Vertical Copper Bus Bar - full height	CBB-40	CBB-40	CBB-45	CBB-45	CBB-48	CBB-48	CBB-50	CBB-50
Vertical Copper Bus Bar - Isolated - full height	CBI-40	CBI-40	CBI-45	CBI-45	CBI-48	CBI-48	CBI-50	CBI-50
Horizontal Copper Bus Bar - 19" Rack-mount	CBBH-19	CBBH-19	CBBH-19	CBBH-19	CBBH-19	CBBH-19	CBBH-19	CBBH-19
Horizontal Copper Bus Bar - Isolated - 19" Rack-mount	CBIH-19	CBIH-19	CBIH-19	CBIH-19	CBIH-19	CBIH-19	CBIH-19	CBIH-19
Ground Strap - 18" #6 Cotton Jacketed with Double Lugs, includes 1/4-20 Hardware	GRD-G-DL-18	GRD-G-DL-18	GRD-G-DL-18	GRD-G-DL-18	GRD-G-DL-18	GRD-G-DL-18	GRD-G-DL-18	GRD-G-DL-18
Isolation Pads - isolates 1 frame from floor	B-ISO-24	B-ISO-24	B-ISO-24	B-ISO-24	B-ISO-24	B-ISO-24	B-ISO-24	B-ISO-24
Uni-strut Kit with Cherry Isolators- mounts to top of frame - (1 strut)	B-STK63-36-#	B-STK63-39-#	B-STK63-36-#	B-STK63-39-#	B-STK63-36-#	B-STK63-39-#	B-STK63-36-#	B-STK63-39-#
Uni-strut Kit with NO Isolators- mounts to top of frame - (1 strut)	B-STK-36-#	B-STK-39-#	B-STK-36-#	B-STK-39-#	B-STK-36-#	B-STK-39-#	B-STK-36-#	B-STK-39-#
Cherry Isolators - 5/8" Thread - Set of 4	C-ISO-63	C-ISO-63	C-ISO-63	C-ISO-63	C-ISO-63	C-ISO-63	C-ISO-63	C-ISO-63
Chassis Support Angles (Offset Mounting Angles only)								
18"D - 3" x 1.75" (100 lbs.) - Light Duty, Zinc Plated	CA-LD-18	CA-LD-18	CA-LD-18	CA-LD-18	CA-LD-18	CA-LD-18	CA-LD-18	CA-LD-18
22"D - 3" x 1.75" (100 lbs.) - Light Duty, Zinc Plated	CA-LD-22	CA-LD-22	CA-LD-22	CA-LD-22	CA-LD-22	CA-LD-22	CA-LD-22	CA-LD-22
26"D - 3" x 1.75" (100 lbs.) - Light Duty, Zinc Plated	CA-LD-26	CA-LD-26	CA-LD-26	CA-LD-26	CA-LD-26	CA-LD-26	CA-LD-26	CA-LD-26
18"D - 3" x 1.75" (200 lbs.), Zinc Plated	CA-18	CA-18	CA-18	CA-18	CA-18	CA-18	CA-18	CA-18
22"D - 3" x 1.75" (200 lbs.), Zinc Plated	CA-22	CA-22	CA-22	CA-22	CA-22	CA-22	CA-22	CA-22
26"D - 3" x 1.75" (200 lbs.), Zinc Plated	CA-26	CA-26	CA-26	CA-26	CA-26	CA-26	CA-26	CA-26
Filler Panels								
1U Aluminum - Solid - 19" EIA	PA-1-#	PA-1-#	PA-1-#	PA-1-#	PA-1-#	PA-1-#	PA-1-#	PA-1-#
2U Aluminum - Solid - 19" EIA	PA-2-#	PA-2-#	PA-2-#	PA-2-#	PA-2-#	PA-2-#	PA-2-#	PA-2-#
3U Aluminum - Solid - 19" EIA	PA-3-#	PA-3-#	PA-3-#	PA-3-#	PA-3-#	PA-3-#	PA-3-#	PA-3-#
4U Aluminum - Solid - 19" EIA	PA-4-#	PA-4-#	PA-4-#	PA-4-#	PA-4-#	PA-4-#	PA-4-#	PA-4-#
1U Steel with Flanges - Solid - 19" EIA	PSF-1-#	PSF-1-#	PSF-1-#	PSF-1-#	PSF-1-#	PSF-1-#	PSF-1-#	PSF-1-#
2U Steel with Flanges - Solid - 19" EIA	PSF-2-#	PSF-2-#	PSF-2-#	PSF-2-#	PSF-2-#	PSF-2-#	PSF-2-#	PSF-2-#
3U Steel with Flanges - Solid - 19" EIA	PSF-3-#	PSF-3-#	PSF-3-#	PSF-3-#	PSF-3-#	PSF-3-#	PSF-3-#	PSF-3-#
4U Steel with Flanges - Solid - 19" EIA	PSF-4-#	PSF-4-#	PSF-4-#	PSF-4-#	PSF-4-#	PSF-4-#	PSF-4-#	PSF-4-#
3U Fan Panel, 120V, (2) 4" Fans @ 110CFM Each, Single 1-15P - 19" EIA	PSFF-3-#	PSFF-3-#	PSFF-3-#	PSFF-3-#	PSFF-3-#	PSFF-3-#	PSFF-3-#	PSFF-3-#
Shelves & Drawers								
Cantilevered Shelf - 1U Vented (50 lbs.) - 12"D, Black - 19" EIA	CSV1-2	CSV1-2	CSV1-2	CSV1-2	CSV1-2	CSV1-2	CSV1-2	CSV1-2
Cantilevered Shelf - 2U Vented (100 lbs.) - 15"D, Black - 19" EIA	CSV2-2	CSV2-2	CSV2-2	CSV2-2	CSV2-2	CSV2-2	CSV2-2	CSV2-2
Cantilevered Shelf - 3U Vented (150 lbs.) - 15"D, Black - 19" EIA	CSV3-2	CSV3-2	CSV3-2	CSV3-2	CSV3-2	CSV3-2	CSV3-2	CSV3-2
Fixed Shelf - 24"D Rack-mount (200 lbs.), Black - 19" EIA	FS1V-1924-2	FS1V-1924-2	FS1V-1924-2	FS1V-1924-2	FS1V-1924-2	FS1V-1924-2	FS1V-1924-2	FS1V-1924-2
Sliding Shelf - 24"D Rack-mount (100 lbs.), Black - 19" EIA	SS2V-1924-2	SS2V-1924-2	SS2V-1924-2	SS2V-1924-2	SS2V-1924-2	SS2V-1924-2	SS2V-1924-2	SS2V-1924-2
Sliding Shelf - 24"D Rack-mount (150 lbs.), Black - 19" EIA	SS1V-1924-2	SS1V-1924-2	SS1V-1924-2	SS1V-1924-2	SS1V-1924-2	SS1V-1924-2	SS1V-1924-2	SS1V-1924-2
2U Drawer- 15"D - 4 Post, Non-locking - 19" EIA	DR2-1915-#	DR2-1915-#	DR2-1915-#	DR2-1915-#	DR2-1915-#	DR2-1915-#	DR2-1915-#	DR2-1915-#
4U Drawer - 15"D - 4 Post, Non-locking - 19" EIA	DR4-1915-#	DR4-1915-#	DR4-1915-#	DR4-1915-#	DR4-1915-#	DR4-1915-#	DR4-1915-#	DR4-1915-#
Writing Surface - Rack-mount - 16.8"W x 18.6"D - 19" EIA	WS-19-#	WS-19-#	WS-19-#	WS-19-#	WS-19-#	WS-19-#	WS-19-#	WS-19-#